

Plumber Skilled Trade Test Mock Written Test Paper

Disclaimer

No part of this material may be reproduced or transmitted in any form or any means without the written permission of the CIC. Whilst reasonable efforts have been made to ensure the accuracy of the information contained in this material, the CIC nevertheless would encourage readers to seek appropriate independent advice from their professional advisers where possible and readers should not treat or rely on this material as a substitute for such professional advice for taking any relevant actions.

Enquiries

Enquiries on this Material may be made to the Trade Test Centre at:

95, Yue Kwong Road Aberdeen Hong Kong

Tel: (852) 2100 9232

Fax: (852) 2100 9249 Email: enquiry@cic.hk


Linaii. Criquiry & cic.rii

Website: www.cic.hk

© 2015 Construction Industry Council.

Tools and equipment

- 1. What are the main functions of a threading machine?
 - (A) Cutting, threading & reaming
 - (b) Threading, lubricating & reaming
 - (c) Cutting & roll grooving
 - (d) Threading, roll grooving & pipes assembling
- 2. The main purpose of plumb bob is to check the pipelines.
 - (A) Verticality
 - (b) Inclination
 - (c) Fall
 - (d) Curvature
- 3. Identify the name and use of the following tools?



- (a) Wire ferrule crumple, end loading wire tool
- (b) Calipers for the outside diameter
- (c) Strap wrench
- (d) Pipe cutter (steel iron pipe cutter)

Knowledge of materials and assessories

- 4. What is the most suitable pipes for hot water system?
 - (A) Copper
 - (b) Cast iron
 - (c) Plastic
 - (d) Galvanised iron


5.	Which is sealant material use for lined galvanised iron pipe connection? (a) Hemp, putty (b) Steam (PTFE) tape (c) Specified seating compound (d) Resin, soldering tin wire
6.	What is the minimum diameter in mm of the flushing pipe of a water closet? (a) 25 (B) 32 (c) 40 (d) 50
	Standard requirements
7.	The testing pressure in related with working pressure is? (a) 100% (B) 150% (c) 200% (d) 250%
8.	What is the minimum size in mm of warning pipe for water tank? (A) 25 (b) 32 (c) 40 (d) 50

- 9. For the inlet of central heating water storage system, what is the standard installation in the outlet from the sum tank?
 - (A) Heater inlet is higher than cold water feed pipes
 - (b) Heater inlet is lower than cold water feed pipes
 - (c) Heater inlet and cold water feed pipes are at same level
 - (d) All are acceptable

Interpretation of drawing / specification

- 10. Which of the following symbol represents a non-return valve?
 - (a) (D)——
 - (B)
 - (c)
 - (d)

- 11. The following sketch is shown in mm. What is the dimension of the toilet cover screws?
 - (a) 112
 - (B) 164
 - (c) 204
 - (d) 430



Measurement and Calculation

- 12. A 20-storey building, the height from the bottom of roof water tank to ground floor is 70 meters. What is the static pressure in kg/cm² of the lowest down feed pipe from the roof to ground floor outlet?
 - (A) 7
 - (b) 8
 - (c) 9
 - (d) 10
- 13. If the flow rate of a draw-off-point is 4.5 l/s, how many minutes will it take to fill up a 4500 litres water tank?
 - (a) 14
 - (B) 17
 - (c) 20
 - (d) 23

Craftmanship

- 14. For maintenance purpose. What is the type of fittings used in an re-connection of a straight pipeline?
 - (a) Pipe Cap Plug
 - (b) Tee
 - (c) Long nipple with socket and lock nut
 - (d) Reducer
- Which of the following methods are not used in bending plastic pipes?
 - (a) Heating blower
 - (b) Pipe fittings
 - (c) Blow burner
 - (D) Hydraulic pressure bender
- 16. Which of the following welding method is in the order from high to low temperature?
 - (a) Bronze welding, soft solders, sliver solders
 - (b) Sliver solders, soft solders, bronze welding
 - (c) Soft solders, sliver solders, bronze welding
 - (D) Bronze welding, sliver solders, soft solders

Safety Precautions

- 17. Working at which level is defined as working in height?
 - (a) 1 m or more
 - (B) 2 m or more
 - (c) 3 m or more
 - (d) 4 m or more

- 18. In case of fire, where do people get water for fire fighting?
 - (a) Fire hydrant
 - (B) Hose reel
 - (c) Fire inlet
 - (d) Fire sprinkler
- 19. What is the most effective method of extinguishing a fire?
 - (a) Clear access, adequate ventilation
 - (b) No smoking, safety use of electricity
 - (c) Isolation of oxygen, cooling, removal of fuel
 - (d) No welding, no fire

Others

- 20. What is the main purpose of using loose jumper type valve or non-return valve at the water meter position?
 - (A) Back wash pollution prevention
 - (b) Exceeded water head deduction
 - (c) Flow rate deduction
 - (d) Water hammer prevention