

HONG KONG CONSTRUCTION INDUSTRY TRADE TESTING CENTRE 香港建造業工藝測試中心

Floor Layer (PVC Flooring) Intermediate Trade Test Study Material for Written Test

(Version: IFL-SM-EN-01)

此文件關於鋪地板工(塑料地板)中級工藝測試技術知識測試(筆試)內容參考資料。 如需索取此文件的中文版本,請致電 2100 9000 與香港建造業工藝測試中心聯絡。



Disclaimer

No part of this material may be reproduced or transmitted in any form or by any means without the written permission from the Construction Industry Council (CIC). Whilst reasonable efforts have been made to ensure the accuracy of the information contained in this material, the CIC nevertheless would encourage readers to seek appropriate independent advice from their professional advisers where possible and readers should not treat or rely on this material as a substitute for such professional advice for taking any relevant actions. The CIC will not assume any liability in relation to any loss or damage directly or indirectly resulted from unintended or/and unforeseeable use of this document.

This document is provided as reference for test preparation only. Under all circumstances all content in the official test papers, including but not limited to the terms and conditions therein, prevails.

The CIC reserves the right, at its sole and absolute discretion, to change, update or delete the contents in this document at any time without prior notice.

The CIC reserves all rights of final interpretation for any content in this document.

Enquiries

Enquiries on this material may be made to Hong Kong Construction Industry Trade Testing Centre at:

Address:95 Yue Kwong Road, Aberdeen, Hong KongTel:(852) 2100 9000Fax:(852) 2100 9090Email:hkcittc@cic.hkWebsite:www.cic.hk



Floor Layer (PVC Flooring) Intermediate Trade Test Study Material for Written Test

This study material is a reference for candidate to prepare for attending written test in Intermediate Trade Test:

- 1. To lay PVC flooring strips, the most correct way to start is to follow the starting point of the job lines.
- 2. To lay PVC flooring strips, the most correct way to start is to follow the starting point of the job lines.
- 3. To repair an uneven floor slab surface, the most suitable material is to use mixtures, i.e. cementitious material.
- 4. When preparing vinyl sheet flooring material with different colour, colour codes should be mark on the bottom of the vinyl sheet flooring in order to distinguish the colour.
- 5. If the floor slab is covered with grit and dust, the more appropriate tool to clean the surface by vacuum machine.
- 6. Full butterfly joint is used at the external corner of stair, i.e. vertical joint between raiser of stair.
- 7. To stick PVC floor, floor glue is usually used.
- 8. To apply glue on floor, masonry trowel with teeth is used.
- 9. The most suitable glue apply on skirts (the vertical risers) of a staircase is all-purpose adhesive.
- To facilitate connection, the connecting parts of the plastic stair nose should be cut at an angle of 45°.
- 11. The width of the gap at the connection between PVC flooring rolls should be 2mm.
- 12. To remove glue stains left on PVC floor, turpentine can be used to clean it.
- 13. Tool used to measure right angle is try square.
- 14. When cutting vinyl sheet flooring, anti-cut gloves should be worn.
- 15. Builder's lift is an equipment suitable for transporting workers up and down a building under construction.



- 16. According to Factories and Industrial Undertakings Ordinance, every person carrying out construction work should hold valid certificate of Mandatory Basic Safety Training Course for Construction Industry, also known as Green Card.
- 17. Use the mobile toilets installed by the company while working on site.
- 18. After completion of floor laying, unnecessary job lines and glue stains should be removed.
- 19. While using chainsaw, safety goggle should be worn to protect the eye.
- 20. While working at height, in addition to the safety helmet, safety belt and independent lifeline should be properly used.

Precautions

This document is provided as reference for test preparation only. Under all circumstances all content in the official test papers, including but not limited to the terms and conditions therein, prevails. There are different versions of the test paper, content include but not limited to tools, materials, equipment, drawing, construction details or procedures and different simulated site environments. Candidates should refer to the official test documents during testing.

The CIC reserves the right, at its sole and absolute discretion, to change, update or delete the contents in this document at any time without prior notice.