



CONSTRUCTION  
INDUSTRY COUNCIL  
建造業議會

# Marble Worker (Dry Fixing) Trade Test Mock Written Test Paper

此文件關於雲石工（乾掛）技能測試考題。如有需要索取此文件的中文版本，請致電 2100 9000 與香港建造業工藝測試中心聯絡。

## **Disclaimer**

*No part of this material may be reproduced or transmitted in any form or any means without the written permission of the CIC. Whilst reasonable efforts have been made to ensure the accuracy of the information contained in this material, the CIC nevertheless would encourage readers to seek appropriate independent advice from their professional advisers where possible and readers should not treat or rely on this material as a substitute for such professional advice for taking any relevant actions.*

## **Enquiries**

Enquiries on this Material may be made to the Hong Kong Construction Industry Trade Testing Centre at:

95, Yue Kwong Road  
Aberdeen  
Hong Kong

Tel: (852) 2100 9000

Fax: (852) 2100 9090

Email: [enquiry@cic.hk](mailto:enquiry@cic.hk)

Website: [www.cic.hk](http://www.cic.hk)

© 2021 Construction Industry Council.

1. The purpose of "tool box talks" is \_\_\_\_\_.
  - a. To fulfill the law's requirement
  - b. To instill safety knowledge in workers
  - c. To introduce the design of safety equipment
  - d. To report on and discuss about the work progress
  
2. For how many workers in a construction site would require one qualified first aider?
  - a. 30-99
  - b. 40-99
  - c. 50-99
  - d. 60-99
  
3. When the marble stones are transported to the site, you should:
  - a. Lay them flatwise on the platform indoor
  - b. Lay them flatwise in the open air
  - c. Lean it upright against the wall obliquely with something underlies
  - d. Lay them flatwise on wooden plank with 150cm above the ground
  
4. The motive force of bending machine used for the Dry Hung Method (Dry Fixing) is from:
  - a. Hydraulic jack
  - b. Air compressor
  - c. Oil cleaning machine
  - d. Electric scissors
  
5. The material of the bracket used in the Dry Hung Method (Dry Fixing) is:
  - a. Iron
  - b. Lead
  - c. Copper
  - d. Stainless steel

6. Apart from pin plug (steel pin) , dry hung method (cavity wall) also uses:
  - a.Iron wire
  - b.Steel cable
  - c.Up and down folded bracket
  - d.Spiral bracket
  
7. The materials used for welding for Dry Hung Method (Dry Fixing) is:
  - a.Tin electrode
  - b.Copper electrode
  - c.Iron electrode
  - d.Stainless steel electrode
  
8. If expansion bolt is used for mounting marble tile, bracket should be installed on:
  - a.Red brick
  - b.Sand brick
  - c.Steel
  - d.Concrete
  
9. The material to be used after platform tiling and testing is:
  - a.Water
  - b.Cement plaster
  - c.Cement powder
  - d.Glue
  
10. Apart from cement plaster, marbles can also be tiled with:
  - a.Marble glue
  - b.White glue
  - c.Super glue
  - d.Resin glue

11. Which of the following materials should be used to fix broken marble?
  - a. Marble glue
  - b. All-purpose adhesive
  - c. Cement plaster
  - d. Tile adhesive
  
12. Which is the more adhesive marble glue?
  - a. Rice glue
  - b. Hydrogel
  - c. White glue
  - d. Black glue
  
13. Which of the following materials should be used together with the polishing powder for marble polishing?
  - a. Ammonia Carbonate
  - b. Lime
  - c. Sulfuric acid
  - d. Oxalic acid
  
14. The use of Chinese Insect wax is:
  - a. For wooden floors
  - b. Filling in the gaps in between marbles
  - c. Mimic true lighting effect
  - d. Mattifying effect
  
15. A person should be serious at work and should uphold work ethics, including:
  - a. Accepting money and other advantages
  - b. Appropriation of other's property
  - c. Craving for personal interest and neglecting the damages dealt to others
  - d. Integrity that a person shall never accept illegal advantage and responsibility

16. Work ethic is a standard of evaluating work attitude. What is the advantage of complying with the standard?
- a. Enhance efficiency, avoid making mistakes and promote credibility
  - b. More likely to make mistakes
  - c. Leave without reason
  - d. Speed up the work progress so the duty can be over as soon as possible
17. Which of the following should be done after finishing work?
- a. Leave the work site immediately
  - b. Remove the strings hanging from the corner of the wall
  - c. Clean the tools and the work site
  - d. Allocate masonries to their appropriate locations according to the plan
18. In the event of operating a (dry stone machine?), a person does not need to wear:
- a. Safety goggles
  - b. Mask
  - c. Rubber glove
  - d. Earplug
19. As required by the law, any person who uses cartridge-operated fixing tools (e.g. concrete hammer) should age:
- a. 15
  - b. 18
  - c. 21
  - d. 24
20. Which is the best method for carrying heavy objects?
- a. Utilize machine as much as possible
  - b. Avoid lifting by bent
  - c. Seek help from other workers
  - d. Carry the objects at the workers' best effort in order to demonstrate their capability

- End of Paper -